

**IN THE CLAIMS:**

The status of the claims is noted below.

1. (Currently Amended) A recording apparatus for recording video data acquired from a transport stream that includes ~~one or more~~ a plurality of packetized video data streams of a predefined format, each having packet identification information, said recording apparatus comprising:

*clmt*  
detection means for detecting at least one random-access point of each of said ~~one of said one or more~~ plurality of packetized video data streams of said predefined format;

analyzing means for obtaining an address of each of said random-access point ~~points~~ and for distinguishing packets having said random-access point in accordance with packet identification information included in said ~~one or more~~ plurality of packetized video data streams of said predefined format;

data-base creation means for creating a data base including ~~one or more~~ lists a table of addresses of said random access point for each of said packet identification information, whereby the lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by the packet identification information; and

recording means for recording said data base separately from said video data on a recording medium.

2. (Currently Amended) The recording apparatus of claim 1, wherein said detection means detects said at least one random-access point according to a video sequence\_header\_code in each data stream of said video data.

3. (Currently Amended) The recording apparatus of claim 1, further comprising:

extraction means for extracting playback time information from each of said ~~one or more~~ plurality of packetized video data streams; and

wherein said data-base creation means creates a data base of said playback time information and said packet identification information.

4. (Previously Presented) The recording apparatus of claim 1, wherein said analyzing means distinguishes programs according to a program map table.

5. (Original) The recording apparatus of claim 1, wherein said data base creation means creates a data base for each of a plurality of video versions of a particular video program.

6. (Currently Amended) A method for recording video data acquired from a transport stream that includes ~~one or more~~ a plurality of packetized video data streams of a predefined format, each having packet identification information, said recording method comprising the steps of:

detecting at least one random-access point of each of said ~~one of said one or more~~ plurality of packetized video data streams of said predetermined format;

analyzing an address of each of said random-access ~~point~~ points and for distinguishing packets having said random-access point in accordance with packet identification information included in said ~~one or more~~ plurality of packetized video data streams of said predefined format;

creating a data base including ~~one or more lists~~ a table of addresses of said random access point for each of said packet identification information, whereby the lists of

random-access points in the table corresponding to different packetized video data streams are distinguished from each other by the packet identification information; and

recording said data base separately from said video data on a recording medium.

7. (Currently Amended) The recording method of claim 6, wherein said at least one random-access point is detected according to a video sequence header\_code in each data stream of said video data.

8. (Currently Amended) The recording method of claim 6, further comprising the step of extracting playback time information from each of said ~~one or more~~ plurality of packetized video data streams; and wherein said data-base further includes said playback time information.

9. (Previously Presented) The recording method of claim 6, wherein said programs are analyzed according to a program map table.

10. (Original) The recording method of claim 6, wherein a data base is created for each of a plurality of video versions of a particular video program.

11. (Currently Amended) A reproducing apparatus for reproducing video data from a transport stream recorded on a recording medium, said transport stream comprising ~~one or more~~ a plurality of packetized video data streams of a predefined format, each having packet identification information, and a random-access information table including ~~one or more lists a~~ table of addresses of random-access points for each of said packet identification information, ~~with a separate random-access information table being generated and stored on said recording medium corresponding to each of one or more~~ said plurality of video programs of said predefined format, whereby the lists of random access points in the table corresponding to

different packetized video data streams are distinguished from each other by said packet

identification information comprising:

reproducing means for reproducing from said recording medium ~~one or more of~~ a plurality of said video programs of said predefined format and said corresponding random-access information table; and

control means for controlling, according to said random-access information table, an access point during a random-access playback operation of each of said plurality of packetized data streams.

12. (Currently Amended) The reproducing apparatus of claim 11, further comprising:

selecting means for selecting one or more of said plurality of video programs from video programs included in said video data.

13. (Currently Amended) The reproducing apparatus of claim 11, wherein ~~each of~~ said random-access information ~~tables~~ table is stored on said recording medium as a file separately from said video data.

14. (Previously Presented) The reproducing apparatus of claim 11, wherein said addresses are indicative of an address of said recording medium corresponding to said one or more random-access points.

15. (Previously Presented) The reproducing apparatus of claim 11, wherein said addresses include time stamp information indicative of a playback time corresponding to each of said random-access points.

16. (Previously Presented) The reproducing apparatus of claim 11, wherein said transport stream is defined by an MPEG standard.

17. (Previously Presented) The reproducing apparatus of claim 11, wherein addresses are formed for each of a plurality of versions of a video program.

18. (Currently Amended) A method for reproducing video data from a transport stream recorded on a recording medium, said transport stream comprising ~~one or more~~ a plurality of packetized video data streams of a predefined format, each having packet identification information, and a random-access information table including ~~one or more lists a~~ table of addresses of random-access points for each of said packet identification information; ~~with a separate random-access information table being formed and stored on said recording medium corresponding to each of one or more~~ a plurality of video programs of said predefined format whereby the lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by said packet identification information, comprising the steps of:

reproducing from said recording medium ~~one or more~~ a plurality of said video programs of said predefined format and said corresponding random-access information table; and

controlling an access point during a random-access playback operation, according to said random-access information table.

19. (Previously Presented) The reproducing method of claim 18, further comprising the step of:

selecting one or more of said video programs from video programs included in said video data.

20. (Currently Amended) The reproducing method of claim 18, wherein ~~each~~ of said random-access information ~~tables~~ table is stored on said recording medium as a file separately from said video data.

21. (Previously Presented) The reproducing method of claim 18, wherein said addresses are indicative of an address of said recording medium corresponding to said one or more random-access points.

22. (Previously Presented) The reproducing method of claim 18, wherein said addresses include time stamp information indicative of a playback time corresponding to each of said random-access points.

23. (Previously Presented) The reproducing method of claim 18, wherein said transport stream is defined by an MPEG standard.

24. (Previously Presented) The reproducing method of claim 18, further comprising the step of:

forming addresses for each of a plurality of versions of a video program.

25. (Currently Amended) A computer program stored in a memory operable to instruct a multipurpose computer to record video data acquired from a transport stream that includes ~~one or more~~ a plurality of packetized video data streams of a predefined format, each having packet identification information, said computer program stored in said memory comprising instructions of:

detecting at least one random-access point of each of said ~~one of said one~~ ~~or more~~ plurality of packetized video data streams of said predetermined format;

analyzing an address of each of said random-access ~~point~~ points and for distinguishing packets having said random-access point in accordance with packet identification

information included in said ~~one or more~~ plurality of packetized video data streams of said predefined format;

creating a data base including ~~one or more lists~~ a table of addresses of said random access point for each of said packet identification information, whereby ~~the~~ lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by the packet identification information; and

recording said data base separately from said video data stream on a recording medium.

26. (Currently Amended) The computer program of claim 25, wherein said at least one random-access point is detected according to a video sequence\_header\_code in each data stream of said video data.

27. (Currently Amended) The computer program of claim 25, further comprising the instruction of extracting playback time information from each of said ~~one or more~~ a plurality of packetized video data streams; and wherein said data-base further includes said playback time information.

28. (Previously Presented) The computer program of claim 25, wherein said programs are analyzed according to a program map table.

29. (Original) The computer program of claim 25, wherein a data base is created for each of a plurality of video versions of a particular video program.

30. (Currently Amended) A recording medium on which is recorded by a multipurpose computer, and which may be read from by a multipurpose computer at least one video program formed of video data comprised of ~~one or more~~ a plurality of packetized video data streams of a predefined format, each having packet identification information, and a

random-access information table including ~~one or more lists~~ a table of addresses of random-access points for each said packet identification information, ~~with a separate random access information table being~~ associated with each of said ~~at least one~~ plurality of video ~~program~~ programs of said predefined format, whereby ~~the~~ lists of random access points in the table corresponding to different packetized video data streams are distinguished from each other by said packet identification information, said recording medium being formed by a method comprising the steps of:

detecting at least one random-access point of each of said plurality of packetized video data streams of said predetermined format;

analyzing an address of each of said random-access ~~point~~ points and for distinguishing packets having said random-access point in accordance with packet identification information included in said ~~one or more~~ plurality of packetized video data streams of said predefined format;

creating a data base including ~~one or more lists~~ a table of addresses of said random access points for each of said packet identification information, whereby ~~the~~ lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by the packet identification information; and

recording said data base separately from said video data on said recording medium.

31. (Currently Amended) The recording medium of claim 30, wherein said at least one random-access point is detected according to a video sequence \_header\_code in each data stream of said video data.



32. (Previously Presented) The recording medium of claim 30, further comprising extracting playback time information from said one or more packetized video data streams; and wherein said data-base further includes said playback time information.

33. (Previously Presented) The recording medium of claim 30, wherein said programs are analyzed according to a program map table.

34. (Original) The recording medium of claim 30, wherein a data base is created for each of a plurality of video versions of at least one of said video programs.

35. (Currently Amended) Apparatus for recording on a recording medium video data acquired from a transport stream that includes a plurality of multiplexed video programs of a predefined format, each having packet identification information, comprising:

distinguishing means for distinguishing each of said plurality of said video programs of said predefined format;

detecting means for detecting one or more random-access points of ~~one or more~~ each of said plurality of video programs of said video data of said predefined format;

analyzing means for obtaining an address of each of said random-access points in said video data and for distinguishing packets having said random-access point in accordance with said packet identification information included in said one or more video programs of said predefined format;

generating means for generating ~~one or more lists~~ a table of addresses of said random-access points for each of said packet identification information, whereby ~~the~~ lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by the packet identification information; and

recording means for recording said video data and said random-access information on said recording medium.

36. (Previously Presented) The apparatus of claim 35, further comprising means for generating a file that includes said random-access information table separately from a file that includes said video data.

37. (Previously Presented) The apparatus of claim 35, further comprising selecting means for selecting one or more of said video programs from said video programs included in said video data for playback.

38. (Previously Presented) The apparatus of claim 35, wherein said address information includes address information indicative of an address on said recording medium corresponding to one of said random-access points.

39. (Previously Presented) The apparatus of claim 35, wherein said address information includes a time stamp indicative of a recording time corresponding to at least one of said random-access points.

40. (Previously Presented) The apparatus of claim 35, wherein said transport stream is defined by an MPEG standard.

41. (Previously Presented) The apparatus of claim 35, wherein said detecting means detects each of said random-access points according to a corresponding random-access indicator included in a header of each of said plurality of video programs making up said video data.

42. (Previously Presented) The apparatus of claim 41, wherein said distinguishing means distinguishes each of said video programs according to said packet

identification information included in said video data and a program map table included in said video data.

43. (Currently Amended) The apparatus of claim 35, wherein said distinguishing means further comprises version distinguishing means for distinguishing a plurality of versions of at least one of said plurality of multiplexed video programs from each other; and wherein said generating means generates a random-access information ~~table~~ for each said version.

44. (Currently Amended) A method for recording on a recording medium video data acquired from a transport stream that includes a plurality of multiplexed video programs of a predefined format, each having packet identification information, comprising the steps of:

distinguishing each of said plurality of said video programs of said predefined format;

detecting one or more random-access points of ~~one or more~~ each of said plurality video programs of said predefined format of said video data;

analyzing an address of said each of said random-access points in said video data and for distinguishing packets having said random-access point in accordance with said packet identification information included in said one or more video programs of said predefined format;

generating ~~one or more lists~~ a table of addresses of said random-access points for each of said packet identification information, whereby ~~the~~ lists of random access points in the table corresponding to different packetized video data streams are distinguished from each other by the packet identification information; and

recording said video data and said random-access information on said recording medium.

45. (Previously Presented) The method of claim 44, further comprising the step of generating a file that includes said random-access information table separately from a file that includes said video data.

46. (Previously Presented) The method of claim 44, further comprising the step of selecting one or more of said video programs from said video programs included in said video data for playback.

47. (Previously Presented) The method of claim 44, wherein said address information includes address information indicative of an address on said recording medium corresponding to one of said random-access points.

48. (Previously Presented) The method of claim 44, wherein said address information includes a time stamp indicative of a recording time corresponding to at least one of said random-access points.

49. (Previously Presented) The method of claim 44, wherein said transport stream is defined by an MPEG standard.

50. (Previously Presented) The method of claim 44, wherein each of said random-access points is detected according to a corresponding random-access indicator included in a header of each of said plurality of video programs comprising said video data.

51. (Previously Presented) The method of claim 50, wherein each of said video programs is distinguished according to said packet identification information and a program map table included in said video data.

52. (Currently Amended) The method of claim 44, further comprising the steps of:

distinguishing a plurality of versions of one of said multiplexed video programs from each other; and

generating a random-access information ~~table~~ for each said version.

53. (Currently Amended) A reproducing apparatus for reproducing video data from a transport stream recorded on a recording medium, said transport stream comprising a plurality of multiplexed video programs of a predefined format, each having packet identification information, and a random-access information table including ~~each of a plurality of lists~~ a table of addresses of random-access points for each of said packet identification information, wherein ~~a corresponding~~ random-access information ~~table~~ is recorded for each of said video programs of said predefined format, whereby ~~the lists of random-access points~~ in the table corresponding to different packetized video data streams are distinguished from each other by said packet identification information, comprising:

reproducing means for reproducing from said recording medium one or more of said video programs of said predefined format and said corresponding random-access information ~~table~~; and

control means for controlling, according to said random-access information ~~table~~, an access point during a random-access playback operation.

54. (Previously Presented) The reproducing apparatus of claim 53, further comprising:

selecting means for selecting one or more of said video programs from said video programs included in said video data.

55. (Currently Amended) The reproducing apparatus of claim 53, wherein ~~each of~~ said random-access information ~~tables~~ is stored on said recording medium as a file separately from said video data.

56. (Previously Presented) The reproducing apparatus of claim 53, wherein said addresses are indicative of an address of said recording medium corresponding to one of said random-access points.

57. (Previously Presented) The reproducing apparatus of claim 53, wherein said addresses include a time stamp indicative of a recording time corresponding to each of said random-access points.

58. (Previously Presented) The reproducing apparatus of claim 53, wherein said transport stream is defined by an MPEG standard.

59. (Previously Presented) The reproducing apparatus of claim 53, wherein said addresses are formed for each of a plurality of versions of a video program.

60. (Currently Amended) A method for reproducing video data from a transport stream recorded on a recording medium, said transport stream comprising a plurality of multiplexed video data programs of a predefined format, each having packet identification information, and a random-access information table including ~~a plurality of lists~~ a table of addresses of random-access points for each of said packet identification information, wherein a ~~corresponding~~ random-access information ~~table~~ is recorded for each of said video programs of said predefined format whereby the lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by said packet identification information, comprising the steps of:

reproducing one or more of said video programs of said predefined format and said corresponding random-access information table from said recording medium; and  
controlling an access point during a random-access playback operation according to said random-access information ~~table~~.

61. (Previously Presented) The method of claim 60, further comprising the step of:

selecting one or more of said video programs from said video programs included in said video data.

62. (Currently Amended) The method of ~~claim~~ claim 60, wherein ~~each of~~ said random-access information ~~tables~~ is stored on said recording medium as a file separately from said video data.

63. (Previously Presented) The method of claim 60, wherein said addresses are indicative of an address of said recording medium corresponding to one of said random-access points.

64. (Previously Presented) The method of claim 60, wherein said addresses include a time stamp indicative of a playback time corresponding to each of said random-access points.

65. (Previously Presented) The method of claim 60, wherein said transport stream is defined by an MPEG standard.

66. (Previously Presented) The method of claim 60, wherein said addresses are formed for each of a plurality of versions of a video program.

67. (Currently Amended) A recording medium ~~for storing on which~~ video data is stored by a multipurpose computer, and from which data may be read by a multipurpose computer, comprising:

a region for storing data video from a transport stream including a plurality of multiplexed video data programs of a predefined format, each having packet identification information; and

a region for storing ~~one or more~~ random-access information ~~tables~~ including ~~at least one list~~ a table of addresses of random-access points for each of said packet identification information, wherein a random-access information ~~table~~ is associated with each of said plurality of multiplexed video programs of said predefined format, whereby ~~the~~ lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by said packet identification information.

68. (Currently Amended) The recording medium of claim 67, wherein said random-access information ~~table~~ is stored as a file separately from said video data.

69. (Previously Presented) The recording medium of claim 67, wherein said addresses are indicative of an address on said recording medium corresponding to one of said random-access points.

70. (Previously Presented) The recording medium of claim 67, wherein said addresses include a time stamp indicative of a playback time corresponding to at least one of said random-access points.

71. (Previously Presented) The recording medium of claim 67, wherein said transport stream is defined by an MPEG standard.



72. (Original) The recording medium of claim 67, wherein a random-access information table is formed for each of a plurality of versions of at least one of said plurality of multiplexed video programs.

73. (Currently Amended) A computer program stored in a memory operable to instruct a programmable processor to store video data to a recording medium having:

an instruction for storing video data from a transport stream including a plurality of multiplexed video data programs of a predefined format, each having packet identification information, into a first region of said recording medium; and

*and*  
an instruction for storing to a second region of said recording medium ~~one or more random-access information tables~~ including ~~at least one list~~ a table of addresses of random-access points for each of said packet identification information, wherein a random-access information ~~table~~ is associated with each of said plurality of multiplexed video programs of said predefined format, whereby ~~the~~ lists of random-access points in the table corresponding to different packetized video data streams are distinguished from each other by said packet identification information.

74. (Currently Amended) The computer program of claim 73, wherein said random-access information ~~table~~ is stored on said recording medium as a file separately from said video data.

75. (Previously Presented) The computer program of claim 73, wherein said addresses are indicative of an address on said recording medium corresponding to one of said random-access points.

76. (Previously Presented) The computer program of claim 73, wherein said addresses include a time stamp indicative of a recording time corresponding to at least one of said random-access points.

*and*  
77. (Previously Presented) The computer program of claim 73, wherein said transport stream is defined by an MPEG standard.

78. (Original) The computer program of claim 73, wherein a random-access information table is formed for each of a plurality of versions of at least one of said plurality of video programs.

---